



**DuPont Crop  
Protection**

**SECTION 18 EMERGENCY  
EXEMPTION USE  
DIRECTIONS**

For use in connection with an emergency exemption authorized under the provisions of Section 18 of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended.

**DUPONT™ CORAGEN® insect control with the active ingredient  
RYNAXYPYR® insecticide  
FOR USE ON SWEET CORN FOR CONTROL OF CORN EARWORM IN  
THE STATE OF PENNSYLVANIA**

Effective Use Date: 08/08/2008  
Expiration Date: 10/30/2008  
FILE SYMBOL: 08-PA-02

CORAGEN® insect control is a suspension concentrate.  
Contains 1.67 lb. active ingredient per gallon.

All Applicable Directions, Restrictions and Precautions on the Registered Product Label for CORAGEN® (EPA Registration Number 352-729) are to be followed. Any adverse effects resulting from the use of CORAGEN® under this emergency exemption must be immediately reported to the appropriate state lead agricultural agencies.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Crop	Application Method	Target Pest	CORAGEN® RATE		Last Application (Days to Harvest)	REI (Hours)
			Lb. ai per acre	fluid ounces product per acre		
Sweet Corn	Foliar	Corn Earworm	0.045 - 0.098	3.5 - 7.5	1	4 hrs.
Minimum interval between treatments is 1 day. Do not apply more than 15.4 fl oz CORAGEN® (0.2 lbs a.i.) per acre per crop.						

**APPLICATION**

Apply at the specified rates when insect populations reach locally determined economic thresholds. Consult the cooperative extension service, professional consultants or other qualified authorities to determine appropriate threshold levels for treatment in your area.

Apply follow-up treatments of CORAGEN®, as needed, to keep pest populations within threshold limits. Refer to the Resistance Management section of the federally registered product label for further guidance on follow-up treatments. See individual crop sections of this label for specific minimum spray interval.

Use sufficient water to obtain thorough, uniform coverage. CORAGEN® may be applied by: ground or aerial application equipment. For aerial application use the following directions unless otherwise specified in this label: use a minimum of 5 gallons per acre of water. For all other application methods use the following directions, unless otherwise specified in this label: use a minimum of 10 gal per acre of water for all crops.

Use of Adjuvants: In some situations where coverage is difficult to achieve such as closed canopy, dense foliage, plants with waxy leaf surfaces, or less than optimum application equipment, an adju-

vant may improve performance. Use only adjuvant products that are labeled for agricultural use and follow the directions on the manufacturer's label. Always conduct a premix test for compatibility. Use a proven, EPA-approved adjuvant that does not affect foliage and/or fruit finish. Refer to specific crop sections of the federally registered product label for additional adjuvant guidance.

For ear protection sprays to control corn earworm, begin applications just before or at time of silking. Repeat applications may be applied if economically damaging populations exist.

***SPECIFIC EXEMPTION PURSUANT TO SECTION 18 OF FIFRA AS AMENDED.***

This labeling must be in possession of the user at the time of pesticide application.

**R - 1314PA 073108 08-08-08**